

NAME

apv1v — PDF/DJVU/EPUB/HTML/TXT viewer with vim-like behaviour

SYNOPSIS

apv1v [*options*] [*file*]

DESCRIPTION

apv1v is a PDF/DJVU/EPUB/HTML/TXT viewer, which behaves like vim.

OPTIONS

-c *file*

Load configuration from *file* instead of the default `~/.apv1vrc`

-h

Show help message and exit

-v

Show version and exit

COMMANDS

The following command keys can be used inside apv1v. Some of them may be prefixed by a number (as in pressing "13G"), this is indicated by a *count* in their description. Unless noted otherwise, the default value for the number is 1.

- o Display file chooser to open a PDF/DJVU/EPUB/HTML/TXT file
- O Select a directory to display
- t Display file chooser to open a PDF/DJVU/EPUB/HTML/TXT file in a new tab
- T Select a directory to display in a new tab
- R Reload the current file
- r Rotate the document clockwise by 90 degrees
- G Show page number *count*
- gt Show next tab
- gT Show previous tab
- PageDown, C-f Go forward *count* pages
- PageUp, C-b Go backward *count* pages
- C-d Go forward *count* half pages
- C-u Go backward *count* half pages
- H Scroll to page head
- M Scroll to page middle
- L Scroll to page bottom
- s skip some pages *count*

C-p, Up, k Scroll up *count* units
 C-n, Down, h Scroll down *count* units
 Backspace, Left, h Scroll left *count* units
 Space, Right, l Scroll right *count* units
 / *string* Search forwards for *string*
 ? *string* Search backwards for *string*
 f Toggle between fullscreen and window mode
 zi Zoom in
 zo Zoom out
 zw Zoom to fit window width
 zh Zoom to fit window height
 m *char* Mark the current position to *char*, so that it can be recalled by pressing *char*
 ' *char* Return to the mark position *char*
 ” Return to the last position
 q Close the current window
 v Select a area
 C-v Select a rectangle area
 y copy the select area text to clipboard

SETTINGS

These can be set in ~/.aplvrc with "set *setting* [= *value*]".

fullscreen = yes/no
 Enable/Disable fullscreen
 width = *int*
 Default window width
 height = *int*
 Default window height
 defaultdir = *path*
 Default directory for the open dialogue
 zoom = *mode*
 Set default zoom level
 normal The application sets the default zoom value

`fitwidth` Fit pages to window width
`fitheight` Fit pages to window height
`float` 1.0 for 100%, 2.0 for 200%, etc.
`content = yes/no`
 Show content view first
`continuous = yes/no`
 Show PDF/DJVU/EPUB/HTML/TXT pages continuously or not.
`continuouspad = int`
 Padding between pages for continuous = yes
`autoscrollpage = yes/no`
 Enable/Disable scrolling the pages when hitting a page tail/head
`noinfo = yes/no`
 Disable/Enable the usage of ~/.apv1vinfo
`pdfcache = int`
 Set pdf cache size
`[no]cache`
 Disable/Enable cache
`scrollbar = yes/no`
 Set show scrollbar or not
`visualmode = yes/no`
 Set use visual mode to select and copy text or not
`wrapscan = yes/no`
 Set wrapscan to search text or not
`doubleclick = action`
 Set default double click action
 none Selection nothing
 word Selection a word under the curcor to clipboard
 line Selection a line under the curcor to clipboard
 page Selection a page under the curcor to clipboard
`guioptions = m/T/mT`
 Weather display menu, toolbar or mean and toolbar.
`autoreload = int`
 If auto reload document after some seconds
`inverted = yes/no`
 If use inverted mode for pdf page

PROMPT

Like the COMMANDS, but prefixed with a colon:

:h[elp] Display the help document

:h[elp] info
 Display the help document (section "introduction")

:h[elp] command
 Display the help document (section "command")

:h[elp] setting
 Display the help document (section "setting")

:h[elp] prompt
 Display the help document (section "prompt")

:q[uit] Close the current window

:o[pen] *file*
 Open *file*

:doc *file*
 Load *file* into the current window

:TOtext [*file*]
 Translate *file* (or the current page) to a text file

:pr[int] Print the current document

:tabnew Create a new tab

:sp Horizontally split the current window

:vsp Vertically split the current window

:fp, :forwardpage [*int*]
 Go forward *int* pages (1 by default)

:bp, :prewardpage [*int*]
 Go backward *int* pages (1 by default)

:g, :goto *int*
 Go to page *int*

:z[oom] *mode*
 Set zoom to *mode* (see "set zoom" in SETTINGS)

:*int* Go to page *int*

AUTHORS

apv1v was written by Alf <naihe2010@126.com>.

This manual page was originally written by Stefan Ritter <xeno@thehappy.de> for the Debian project (but may be used by others), and was rewritten more beautifully by Daniel Friesel <foobar@derf.homelinux.org>.